


Australia Bus & Coach Al CCTV System

CCTV system Cameras' installation places:



Some cameras' installation places examples:



PC/Mobile/Web App fleet management system (with GPS and 4G/Wi-Fi):





Features:

- Support AI features, Each bus or Coach install one ADAS, one DSM, Five or Six cameras (700TVL/720P/1080P resolution support), one TFT CVBS display ,also can connect with LED control panel.
- DSM supports: Yawning Detection/Eyes Closing Detection/Smoking Detection/Making Phone Calls Detection/Distraction Detection/Driver Absence Detection/Camera Covered Detection/Wearing Glasses Detection.
- ADAS supports: Lane Departure Warning /Safe Distance Warning /Froward Collision Warning /Pedestrian Collision Warning.
- Support Wi-Fi upload footage to IVMS server Automatically once Bus comes back Wi-Fi station(Mobile DVR needs to be with Wi-Fi Feature, for more information, please kindly contact us info@alersec.com)
- Driver alarm button can support network trigger
- Can support user JPEG images capture by management platform remotely and pictures can be stored in the IVMS server.
- Support GPS/BD dual modules positioning with higher location accuracy.
- Command center can operate the vehicle at any time by using 4G/5G.
- Support maximum 4 TB Hard disk recording.
- Install file boxes, insert 128GB card ,to achieve HDD and sd card video recording storage at the same time. when vehicle catches fire. It also can guarantee the storaged data in the fire box playback completely and provide the evidence for the accidents.
- The supvisor can master the bus running status in all directions and eliminate all kinds of security risks effectively through monitoring management platform



Application:



AL3000-Al Mobile DVR:







Mobile DVR Standard accessories:



Vehicle Cameras:





AL-MS01 AL-SV3 AL-SV1 (Left and Right side view) (Dome camera indoor) (reversing camera)



Other parts for CCTV system:









7 inch touch Screen

Lead cable

Hard Disk Drive

LED control panel

Mobile DVR order model:

AL3001-AI (comes with GPS,support basic recording),Maximum support 960H or 720P or 1080P cameras+1 channel 1080P IPC,support AI feature,DSM,ADAS optional.

AL3004-AI (comes with Wi-Fi,GPS,support basic recording,Support footage upload to IVMS server automatically),support AI feature,DSM,ADAS optional. **AL3003-4GW-AI** (with 4G and GPS,support live tracking or remotely monitoring),connect 8 960H or 1080P cameras+1 channel 1080P IPC,support AI feature,DSM,ADAS optional.

AL3005-4GW-AI(with 4G,WIFI and GPS,support live tracking or remotely monitoring),can support WIFI upload automatically to server,connect 8 960H or 1080P cameras+1 channel 1080P IPC,support AI feature,DSM,ADAS optional.

For more information, please kindly contact our sales or send email to info@alersec.com.